The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-22009

Stream : O'brian Ditch

Applicant : Dura Development Corporation

Craig Linter

5740 Decatur Boulevard Indianapolis, IN 46241-9561

Description : A trapezoidal shaped retention basin approximately 400' x 200' will be

constructed on the north (right) overbank and immediately north of East 38th Street. A 2' high berm will be placed around the perimeter of the retention basin to increase storage. To provide drainage from the retention basin to the ditch, a 132' long, 12" diameter reinforced concrete pipe will be constructed. The pipe will be buried a minimum of 6" and terminate with a concrete end section on the

north (right) stream bank that will conform to the bank slope. An energy

dissipator will be constructed at the base of the concrete end section. Details of the project are contained in information and plans received at the Division of Water on August 6, 2002, November 4, 2002, November 6, 2002, November 8.

2002, and November 26, 2002.

Location : On the north bank of the ditch; approximately 2080' west of the intersection of

East 38th Street and County Line Road

near Indianapolis, Lawrence Township, Marion County

SW1/4, SW1/4, SE1/4, Section 15, T 16N, R 5E, Cumberland Quadrangle

Quad Code: 3908578

UTM Coordinates: Downstream 4408805 North, 588935 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22118

Stream : Willow Creek

Applicant : Wolverine Pipeline Company

Josh Brieden

8105 Valleywood Lane Portage, MI 49024-5265

Description : Approximately 300' of the creek's eroded streambank will be stabilized with

bioengineered material to protect the bank from further erosion. The western retaining wall will be approximately 75' long and will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 6', a maximum streamward projection of 3' beyond the

existing bank, and 3:1 sideslopes. The eastern wall will be 175' long and will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 10', a maximum streamward projection of 3' beyond the existing bank, and 3:1 sideslopes. Details of the project are contained in information and plans received at the Division of Water

on October 24, 2002 and November 18, 2002.

Location : Along the left (south) bank; approximately 200' upstream of the US 20 stream

crossing

near Portage, Portage Township, Porter County

NE1/4, NW1/4, NE1/4, Section 10, T 36N, R 7W, Portage Quadrangle

Quad Code: 4108752

UTM Coordinates: Downstream 4604250 North, 482520 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22148

Stream : Buck Creek

Applicant : South Harrison Water Corporation

Bruce A Cunningham

PO Box 308

New Middletown, IN 47160-0308

Description : A 12" diameter ductile iron restraint joint pipe water main will be placed beneath

the creek to fortify the existing water system. The line will be placed by the open trench construction method. It will have a minimum depth of 3' of cover beneath the streambed and banks. Details of the project are contained in information and

plans received at the Division of Water on November 25, 2002.

Location : At the downstream (west) side of the Union Chapel Road stream crossing

near Laconia, Boone Township, Harrison County

NE¼, SW¼, NE¼, Section 18, T 5S, R 4E, Laconia, IN-KY Quadrangle

Quad Code: 3808611

UTM Coordinates: Downstream 4214655 North, 577920 East

Statute/Rule: Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-22149

Stream : Simmons Creek

Applicant : Ernest Lewis

RR 1 Box 84

Shoals, IN 47581-9714

Description : Approximately 300' of the stream channel was realigned and straightened to

prevent further erosion of the north bank. The new channel is approximately 300' long. It is 8' deep, with an 8' bottom width. Details of the project are contained in information and plans received at the Division of Water on November 27, 2002.

Location : Beginning at the upstream side (east) of the County Highway 37 crossing over

the stream and continuing upstream for approximately 300'

DOWNSTREAM: near Shoals, Lost River Township, Martin County NW¼, NE¼, NW¼, Section 12, T 3N, R 3W, Shoals Quadrangle

Quad Code: 3808667

UTM Coordinates: Downstream 4265582 North, 517130 East

UPSTREAM:

UTM Coordinates: Upstream 4265597 North, 517190 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22152

Stream : Bee Camp Creek

Applicant : Board of Hamilton County Commissioners

Jim Neal

1700 S. 10th Street Noblesville, IN 46060

Description

: The proposed project includes the reconstruction of 1.82 miles of Olio Road, beginning approximately 310' north of 96th Street and extending north to approximately 500' south of Geist Reservoir. Olio Road consists of a two lane section from 96th Street to approximately 395' south of 113th Street. The existing pavement is 22' wide and consists of an asphalt roadway with no shoulders. The existing pavement along the corridor has deteriorated due to large traffic volumes and water infiltration. Storm water runoff is drained by ditches adjacent to the roadway that flow into Bee Camp Creek and Geist Reservoir. Bee Camp Creek currently flows under Olio Road via a large corrugated multi plate metal pipe arch that is approximately 98.4' long. The proposed roadway will consist of two 12' travel lanes in each direction separated by a 14' raised grass median. Additionally, a 10' multi-use lane will be placed behind a 4' grass buffer strip adjacent to the curb in each direction. The corrugated multi plate metal pipe arch that carries Olio Road over Bee Camp Creek will be extended. The downstream side will be extended 44'. Headwalls and wingwalls will be constructed at both ends of the culvert. In-channel work for this project will be limited to that which is necessary for the placement of culvert extension, headwalls, wingwalls, rip rap and geotextiles. It is anticipated that the channel work will extend 50' upstream and 60' downstream of this structure. The clearing of trees and brush from the banks of the stream will be the minimum necessary to replace the existing structure. Low water work will be limited to the placement of the structure and placement of rip rap. A limited amount of fill material will be necessary when extending the culvert that carries Olio Road over Bee Camp Creek. The following fill quantities represent the amount of fill material to be placed in the channel below the ordinary high water mark (OHWM). The fill material placed below the OHWM at the Bee Camp Creek will be limited to 100 cubic yards of revetment riprap. Details of the project are contained in information received electronically at the Division of Water on December 4, 2002.

Location

: This project is located in Sections 1 and 12 of Township 17 North, Range 5 East, Fall Creek Township, in southeast Hamilton County.

near Fishers, Fall Creek Township, Hamilton County

Section 1, T 17N, R 5E

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-22154

Stream : Fall Creek

Applicant : Indianapolis Department of Public Works

Long Nguyen

604 North Sherman Drive Indianapolis, IN 46201

Description : The project involves rehabilitation of the existing concrete arch bridge carrying

West 16th Street over Fall Creek. The rehabilitation will include removal and replacement of the existing railings, sidewalks and deck. Also, removal and replacement of portions of the spandrel walls and arch rings are anticipated. The deck profile will have a minimal raise. The new superstructure will be widened approximately 1 foot at each coping. New standard texas rail will be installed on the bridge. New reinforced concrete bridge approach slabs will be constructed. The approach pavement on the east and west side of the bridge will remain the same width and be resurfaced. Details of the project are contained in information

received electronically at the Division of Water on December 6, 2002.

Location : At the West 16th Street crossing of Fall Creek

at Indianapolis, Center Township, Marion County

Section 35, T 16N, R 3E, Indianapolis West Quadrangle

Quad Code: 3908672

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-19335

Lake : Lake James

Applicant : Marcia R Conley

Jeffrey G Raff, Attorney

201 East Washington Center Road

Fort Wayne, IN 46825-4404

Description : An concrete seawall will be constructed across approximately 30' lakeward of the

shoreline and will be 80' long. An addition 10' of seawall will be constructed along the eastern side of the wall to tie into an existing seawall. The area landward will be filled. Also, a 150 concrete seawall will be constructed along the eastern side of an existing channel. The seawall will begin approximately 27' from the western border of the channel, the seawall will run parrell, an 975 square feet of lake will be filled to accomidate the new seawall and a 20' x 25' boatwell will also be filled. Details of the project are contained in information and plans received at the

Details of the project are contained in information and plans received

Division of Water on September 26. 2002.

Location : Sowles Bay Marina

near Angola, Pleasant Township, Steuben County

W½, SE¾, SE¼, Section 3, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4616850 North, 665350 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19343

Lake : Tippecanoe Lake

Applicant : Todd Woolums

191 EMS T13 Lane

Leesburg, IN 46538-9407

Description : A concrete seawall will be constructed across 70' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on September 30, 2002 and October 8, 2002.

Location : 191 EMS, T13 Lane

near Leesburg, Tippecanoe Township, Kosciusko County

NW14, NE14, SE14, Section 18, T 33N, R 7E, Leesburg Quadrangle

Quad Code: 4108537

UTM Coordinates: Downstream 4574150 North, 604580 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19381

Lake : Dallas Lake

Applicant : Lynn A Uffelman

14303 Lincoln Highway East New Haven, IN 46774-9633

Description : A concrete seawall will be constructed across 173' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on November 6, 2002 and November 18, 2002.

Location : Lot 38; Dallas Bay Addition

near Wolcottville, Clearspring Township, LaGrange County

SE¼, SW¼, SE¼, Section 24, T 36N, R 9E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4601545 North, 630918 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19382

Lake : Lake Pleasant

Applicant : Dave and Molly Buettner

22877 Spieles Road

Delphos, OH 45833-9549

Description : A concrete seawall will be constructed across the applicant's 42' frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. The existing, deteriorated railroad tie seawall will be completely removed. Also, a 15' x 29' area will be dredged to remove approximately 1.5' of muck and debris from

the lakebed. Details of the project are contained in information and plans

received at the Division of Water on November 7, 2002 and November 19, 2002.

Location : 15 Lane 250, Lot 26 of Sellers Shady Shores First Addition

near Jamestown, Millgrove Township, Steuben County

NE1/4, SW1/4, NW1/4, Section 13, T 38N, R 12E, Kinderhook, MI-IN Quadrangle

Quad Code: 4108571

UTM Coordinates: Downstream 4624199 North, 657854 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19383

Lake : Big Long Lake

Applicant : Thomas and Susan Sample

8102 Welsch Drive

Fort Wayne, IN 46815-8019

Description : A concrete seawall will be constructed across 58' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on November 7, 2002.

Location : 9700 East 520 South, Lot 1 of Hartzell Addition to Long Lake Park

near South Milford, Milford Township, LaGrange County

NE1/4, SW1/4, NE1/4, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4603075 North, 646805 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19384

Lake : Big Long Lake

Applicant : Daniel K Votaw

9730 East 520 South

Wolcottville, IN 46795-9746

Description : A concrete seawall will be constructed across 130' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on November 7, 2002.

Location : 9730 East 520 South, Lots 103 and 104 of Hartzell's Addition

near South Milford, Milford Township, LaGrange County

NE1/4, SW1/4, NE1/4, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4603010 North, 646852 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19385

Lake : Big Long Lake

Applicant : James A Thomas

9650 East 520 South

Wolcottville, IN 46795-8718

Description : An existing railroad tie seawall will be refaced with a layer of concrete across 60'

of the applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on November 7, 2002.

Location : 9650 East 520 South, Lot 5 of Sunset Park

near South Milford, Milford Township, LaGrange County

NE1/4, SW1/4, NE1/4, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4603120 North, 646727 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19386

Lake : Big Long Lake

Applicant : Dean and Laura Bearman

9660 East 520 South

Wolcottville, IN 46795-8718

Description : An existing concrete block seawall will be refaced with a layer of concrete across

61' of the applicant's frontage. The refacing will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on November 7, 2002 and November 19, 2002.

Location : 9660 East 520 South, Lot 4 of Sunset Park

near South Milford, Milford Township, LaGrange County

NE1/4, SW1/4, NE1/4, Section 22, T 36N, R 11E, Stroh Quadrangle

Quad Code: 4108552

UTM Coordinates: Downstream 4603125 North, 646745 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19388

Lake : Lake Wawasee

Applicant : Eric T and Lisa A Rosales

8076 East Quiet Harbor Drive Syracuse, IN 46567-7522

Description : A concrete seawall will be constructed across 44' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on November 7, 2002.

Location : 8076 Quiet Harbor Drive

near Syracuse, Turkey Creek Township, Kosciusko County

SW1/4, NW1/4, SW1/4, Section 23, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4582010 North, 609460 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19389

Lake : Dewart Lake

Applicant : Roger L Saxon

PO Box 177

Roselawn, IN 46372-0177

Description : An existing concrete seawall will be refaced with a layer of concrete across 50' of

the applicant's frontage. The refacing will be keyed to the wall's lakeward face. In addition, a layer of glacial stone will be placed at the base of the wall for toe protection. Details of the project are contained in information and plans received

at the Division of Water on November 9, 2002 and November 20, 2002.

Location : 34 EMS D5 Lane, Lot 109 of Redman Park Subdivision

near Milford, Van Buren Township, Kosciusko County

NE¼, NW¼, NW¼, Section 25, T 34N, R 6E, Milford Quadrangle

Quad Code: 4108547

UTM Coordinates: Downstream 4581134 North, 601807 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19390

Lake : Simonton Lake

Applicant : Arthur Lusher

PO Box 4847

Elkhart, IN 46514-0847

Description : A steel sheet piling seawall was constructed across 85' of the applicant's

frontage. Details of the project are contained in information and plans received at

the Division of Water on November 8, 2002 and November 25, 2002.

Location : 51212 County Road 109 North

near Elkhart, Osolo Township, Elkhart County

SW¼, NW¼, NE¼, Section 16, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4622396 North, 586800 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19392

Lake : Dewart Lake

Applicant : Martha Knotts

5158 North Winthrop Avenue Indianapolis, IN 46205-1148

Description : A concrete seawall will be refaced with a layer of concrete across 51' of the

applicant's frontage. The reface will be keyed to the wall's lakeward face. A 12" wode of glacial stone will be place at the base of the wall for toe protection. Details of the project are contained in information and plans received at the

Division of Water onNovember 14, 2002 and November 25, 2002.

Location : 101 EMS D12 Lane, lot 12, Daytoniana Shores

near Milford, Van Buren Township, Kosciusko County

NW1/4, NW1/4, NE1/4, Section 25, T 34N, R 6E, Milford Quadrangle

Quad Code: 4108547

UTM Coordinates: Downstream 4581058 North, 602380 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19395

Lake : Cedar Lake

Applicant : Howe Military School

Max Taylor PO Box 240

Howe, IN 46746-0240

Description : The new 15' x 20' boathouse will be constructed at the same site as the previous

boathouse. Details of the project are contained in information and plans received

at the Division of Water on November 14, 2002, November 27, 2002 and

December 2, 2002.

Location : Howe Military School

near Howe, Lima Township, LaGrange County

NE¼, NE¼, NE¼, Section 21, T 38N, R 10E, Mongo Quadrangle

Quad Code: 4108563

UTM Coordinates: Downstream 4622200 North, 635473 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19397

Lake : Oliver Lake

Applicant : Richard L Burton

9601 Felger Road

Fort Wayne, IN 46818-9447

Description : A concrete seawall will be constructed across 50' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on November 15, 2002 and November 27, 2002.

Location : 0930 East 465 South; lot 1; Dorrow's Third Addition to Oliver Spring Heights

near Wolcottville, Johnson Township, LaGrange County

SW1/4, SW1/4, NW1/4, Section 17, T 36N, R 9E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4604020 North, 633080 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19398

Lake : Oliver Lake

Applicant : John K Storck

920 East 465 South Oliver Lake

Wolcottville, IN 46795

Description : A concrete seawall will be constructed across 40' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline.

Details of the project are contained in information and plans received at the

Division of Water on November 15, 2002 and November 27, 2002.

Location : 0920 East 465 South; Dorrow's Third Addition to Oliver Spring Heights

near Wolcottville, Johnson Township, LaGrange County

SW¼, SW¼, NW¼, Section 17, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4604025 North, 633100 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-19400

Lake : Webster Lake

Applicant : Russell Rudig

36 EMS W-29 B Lane

North Webster, IN 46555-9593

Description : A concrete seawall will be constructed across 53' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. The existing timber seawall will be removed. Details of the project are contained in information and plans received at the Division of Water on November 21, 2002

and November 25, 2002.

Location : 36 EMS W 29 Lane, lots 28, 29, 30 to Haymonds Addition to Point Yellow Banks

near North Webster, Tippecanoe Township, Kosciusko County

SE¼, NW¼, NE¼, Section 14, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4575131 North, 610601 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-19412

Lake : Lake Wawasee

Applicant : Charlie Helmen

11523 North Crowdale Drive Syracuse, IN 46567-8698

Description

An existing piling seawall will be refaced across a the 50' rear of the applicant on the channel off Lake Wawasee to prevent deterioration. The refacing will consist of Northstar vinyl sheets which will be installed in front of existing wall. The refacing will have a maximum thickness of 6". A 12" wide 21poly viny coated walkway will be constructed on top and landward of the lakeward face of the refaced wall. In the front of the property an existing concrete seawall will be refaced acrossed the 53' frontage of the appicant on Lake Wawasee to prevent deterioration. The refacing will begin at the southern property line and will extend north for 53". It will consist of reinforced, poured inplace concrete which will be tied to the existing will. The refacing will have a thickness of 6" and will be sloped on the lakeward side. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on

December 4, 2002.

Location : The property is located on the east shore of Lake Wawasee, on Crowdale Dr.

11523, and on the channel behind this property

near Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake